


LED LIGHT SHEET

Features:

- Ultra thin LED Sheet
- 3 oz full copper FPCB
- Excellent heat dissipation
- Longer lifespan
- DIY to any shape. Can be cut every 1"x1" square.
- Great for back lighting opaque materials
- Perfect for back lighting advertisements
- Can be cut / bent on all lines between LEDs
- 3 Color options in a single LED Sheet: 3000K, 4000K, 6000K
- High CRI (Color Rendering Index) 90+



Technical Specifications:

- 25W Sheet: 12.5 watt per square foot
- Input Voltage: 24V DC/
- LED Type: 3040 SMD
- LEDs Per Pcs: 288*3=864leds
- Color: Warm White (WW), Natural White (NW), Cool White (CW)
- 3M Tape Model: Red 3M VHB
- Dimension: L24 in. x W12 in.
- CRI: >90
- Non waterproof

Application:

- Backlighting stone
- Signage backlight
- Illuminated accent walls



Accessories:

- **Stand-offs**
SKU: NUR-3040-SHEET-DOME x10





Stick the 3M Tape to hold the rubber dome

- **Connectors**
SKU: NUR-3040-SHEET-CONN x5



Dimensions:



1" x 1" cutting increment

ORDERING GUIDE

Example: NUR-3040-SHEET25-1x2FT-CCT-IP20-24V

LED Sheet <input type="text"/>	Wattage <input type="text"/>	Size <input type="text" value="1X2FT"/>	Color Temperature <input type="text" value="CCT"/>	IP Rating <input type="text" value="IP20"/>	Voltage <input type="text" value="24V"/>
NUR-3040 LED Sheet	SHEET25 SHEET50				